World Journal of Engineering Research and Technology



**WJERT** 

www.wjert.org

SJIF Impact Factor: 4.326



# DESIGN AND PERFORMANCE ANALYSIS OF DUAL MATERIAL GATE SOI MOSFET AND ITS APLLICATION

Monika Joshi<sup>\*1</sup> and Dr. Vishal Ramola<sup>2</sup>

<sup>1</sup>M.Tech Scholar, VLSI Design Uttarakhand Technical University, Dehradun, India. <sup>2</sup>HOD, VLSI Design Uttarakhand Technical University, Dehradun, India.

Article Received on 25/05/2017 Article Revised on 16/06/2017 Article Accepted on 07/07/2017

\*Corresponding Author Monika Joshi M.Tech Scholar, VLSI Design Uttarakhand Technical University, Dehradun, India.

## ABSTRACT

With the continuous shrinking in the size of MOSFET, second order effect known as Short Channel Effect begin to influence the device performance. SOI is an advanced technology designed to operate at low power. With this a new technology called Dual Material Gate is used to improve the performance of the MOSFET by reducing Short

Channel Effects such as drain induced barrier lowering (DIBL), Channel length modulation and Hot Carrier Effect. This paper presents performance analysis of Dual Material Gate SOI MOSFET .The analytical model of MOSFET has been developed and compared with the results for the device parameter obtain by numerical analysis varying doping concentration and dielectric material using TCAD (Technology Computer Aided Design). It has been observed that this structure is able to reduce Short Channel Effects (Drain induced barrier lowering, hot electron effect) and increases electron transport efficiency.

**KEYWORD:** SOI (Silicon on Insulator), Channel Length Modulation, MOSFET's, FD (Fully depleted), PD (partially depleted), Ion/Ioff, TCAD.

## **INTRODUCTION**

Digital electronics are pervasively across the globe today. Enriching people life and make communication and sharing easier than ever. At the heart of each digital device there are semiconductor chips and these chips are made up of billions of transistor the building block of digital world. MOSFET is one of the most important and widely used semiconductor device used in industry. To achieve high packing density and high speed and to enhance the user experience the size of transistor must be reduced while increasing performance and reducing power consumption. To achieve high packing density and high speed the dimension of MOSFET have continuously decreases. For the improvement of the device we have to reduce the power consumption. Use of lower power supply voltage is an effective method but it leads to the degradation of MOSFET current driving capability. So scaling is necessary to achieve higher performance in VLSI. When the size of MOSFET decreases in nano scale regime the volume and power consumption per device decreases, but control of gate on device is also decreases due to the increment in charge sharing between source and drain that causes short channel effect (SCE).SCE degrades the controllability of the gate voltage that effect drain current, which leads to the degradation of the sub threshold slope and the increase in drain off-current. Thinning gate oxide and using shallow source/drain junctions are known to be effective ways of preventing SCE. Dual gate and split gate technique are another effective ways to reduce SCE. Dual gate technique reduces SCE but does not improve electron transport efficiency. In split gate electron velocity in channel is increases but its fabrication is difficult. Another problem with split gate is the inherent fringing capacitance between the two gates. Use of SOI that has low parasitic capacitance is a better way to reduce SCE in deep Sub-100nm regime but there is a reliability issue of self-heating and hot-electron degradation of the buried oxide when high electrical field is applied. A new device structure called the dual-material gate (DMG) with different work function (for n-type MOSFET W.F1>W.F2 and vice versa for p-type MOSFET) is introduced which reduces SCE and increases electron transport efficiency.

#### **Short Channel Effect**

Short Channel devices are those devices when we are talking about the technology Scaling with channel length less than a micron (L<1 $\mu$ m). A MOSFET is considered to be short when the channel length is the same order of magnitude as the depletion-layer widths of the source and drain junction. As Scaling reaches L (Channel length) <1 $\mu$ m second order effect become very important that is known as short channel effects.

Five different short-channel effects are:-

- 1. Drain Induced Barrier lowering and Punch through
- 2. Velocity Saturation
- 3. Impact ionization
- 4. Surface Scattering

#### 5. Hot Electron

#### **Device Structure**

The dual material gate FD SOI MOSFET structure is as shown in figure below. Parameters of the device are.

Channel Length	25nm
Length of Source and Drain	45nm
Source and Drain Thickness	6nm
Thickness of Buried Oxide	20nm
Gate Material	Cu(W.F=5.2),Al(W.F=4.2)
Source and Drain Concentraion	1e19
Channel Concentraion	1e14
Oxide Thickness	2nm



Figure 1: 2D schematic diagram of DMG SOI MOSFET.

There is a reduction in hot carrier effect due to half of the gate at the drain side being made up of lower work function metal which reduces the peak electric field. Also, there is an increase in the average velocity of electrons due to the half of the gate at the source side being made up of higher work function metal which enhances the peak electric field at the source side. Thus, in the dual material gate structure, there is an increase in trans conductance and reduction in drain conductance.

## **RESULT AND VALIDATION**

To verify the proposed analytical model, the simulator VISUAL TCAD version 1.9.0-a1 has been used to simulate the different aspects such as variation in dielectric material, variation in concentration. According to the results the Ion/I off, threshold voltage, DIBL is calculated. Comparison with the bulk MOSFET is also done here.

## **ID Versus VGS**

The transfer characerstic of MOSFET relates drain current response to the input gate source voltage. Since the gate terminal is electrically isolated from the remaining terminals, the gate current is essentially zero, so the gate current is not a part of device characterstic. The threshold voltage for DMG SOI MOSFET using SiO2 as dielectric material, is 0.15 Volts. On current is 0.004687A and off current is  $6.92 \times 10^{-9}$  for the structure.

Output characteristic of MOSFET is plotted between drain current and drain to source voltage. Dain current for different region is as followes.

- 1. Cutoff state  $I_D = 0$
- 2. Ohmic state  $I_D = 1/2 \ \mu_n C_{ox} W/L \left[ 2(V_{GS} V_T) \ V_{DS} V_{DS}^2 \right]^2$
- 3. Saturation state

 $I_{D} = 1/2 \ \mu_{n} C_{ox} W/L (V_{GS} - V_{T})^{2}$ 



Figure 2: Transfer characterstic of DMG SOI MOSFET.

#### **ID Versus VDS**



Figure 3: Output characteristic of DMG SOI MOSFET.

#### **Linear Versus Saturation**



Figure 4: DIBL curve of DMG SOI MOSFET.

#### SMG versus DMG MOSFET



Figure 5: Comparison of transfer characterstic of DMG and SMG MOSFET.

**Gate Oxide variation** 



Figure 6: Comparison of transfer characterstic for different gate oxide.

Ion/ Ioff with diffent spacer materials



Figure 7: Ion/Ioff graph ( $k_{SiO2} = 3.9$ ,  $k_{nitride} = 7.5$ ,  $k_{HfO2} = 22$ ).

#### **Concentration variation**



Figure 8: Transfer characteristic for different channel and S/D concentration.

#### **Resistive Load inverter**







Figure 10: Voltage transfer characteristic of resistive load inverter.

## **CMOS** inverter

Complimentary MOSFET technology is widely used today to form circuits in varied applications. Today CMOS is widely used in computer CPU and the cell phones due to several key advantages. CMOS offers low power dissipation, high speed, high noise margins in the both states and is able to operate over a wide range of source and input voltage.



Figure 11: 2D structure of CMOS inverter using VISUAL TCAD tool.



Figure 12: Circuit structure of CMOS inverter.



Figure 13: Voltage transfer characteristic of CMOS inverter.



Figure 14: Transient analysis of CMOS inverter.

# NAND gate

NAND gate or negative-AND is a logic gate which produce zero output only if all its input are high, thus its output is complement to that of the AND gate.

Logical expression for NAND gate is OUT = (A.B)' = A' + B'.



Figure 15: Device structure of NAND gate.



Figure 16: Transient analysis of NAND gate.

## Nor Gate

NOR gate behaves according to the truth table given below. If one or both the input at high state (1) the output results low state (0). If both the inputs to the gate are low (0) the output results high state.





#### CONCLUSION

This work presents the design basics and the performance analysis of Dual Material Gate SOI MOSFET using VISUAL TCAD version 1.9.0-a1 and validation of DMG SOI MOSFET by its applications. Metal Oxide Semiconductor Field Effect Transistor (MOSFET) or Insulated Gate Field Effect Transistor (IGFET) has been the key factor in semiconductor industry because of its higher packing density, low power dissipation and higher performance. To achieve high packing density and high speed and to enhance the user experience the size of transistor must be reduced while increasing performance and reducing power consumption. But with the continuous shrinking in the size of MOSFET, second order effect known as Short Channel Effect begin to influence the device performance. SOI is an advanced technology designed to operate at low power. With this a new technology called Dual Material Gate is used to improve the performance of the MOSFET by reducing Short Channel Effects (SCE) such as drain induced barrier lowering (DIBL), Channel length modulation and Hot Carrier Effect.

#### REFERENCES

- Adan, Alberto O., Kenichi Higashi, and Yasumori Fukushima. "Analytical threshold voltage model for ultrathin SOI MOSFETs including short-channel and floating-body effects." IEEE Transactions on Electron Devices, 1999; 46(4): 729-737.
- Bresson, N., et al. "Integration of buried insulators with high thermal conductivity in SOI MOSFETs: Thermal properties and short channel effects. "Solid-state electronics, 2005; 49(9): 1522-1528.
- 3. Boylestad, Robert L., Louis Nashelsky, and Lihua Li. Electronic devices and circuit theory. Englewood Cliffs, NJ: Prentice Hall, 2002: 11.
- Chakraborty, Saurav, Abhijit Mallik, and Chandan Kumar Sarkar. "Subthreshold performance of dual-material gate CMOS devices and circuits for ultralow power analog/mixed-signal applications." IEEE Transactions on Electron Devices, 2008; 55(3): 827-832.
- Chaudhry, Anurag, and M. Jagadesh Kumar. "Investigation of the novel attributes of a fully depleted dual-material gate SOI MOSFET." IEEE Transactions on Electron Devices, 2004; 51(9): 1463-1467.
- Chaudhry, Anurag, and M. Jagadesh Kumar. "Controlling short-channel effects in deepsubmicron SOI MOSFETs for improved reliability: a review. "IEEE Transactions on Device and Materials Reliability, 2004; 4(1): 99-109.

- Chen, Jian, et al. "The enhancement of gate-induced-drain-leakage (GIDL) current in short-channel SOI MOSFET and its application in measuring lateral bipolar current gain beta." IEEE electron device letters, 1992; 13(11): 572-574.
- Chiang, Te-Kuang. "A new two-dimensional analytical subthreshold behavior model for short-channel tri-material gate-stack SOI MOSFET's. "Microelectronics Reliability, 2009; 49(2): 113-119.
- Choi, Yang-Kyu, et al. "Ultra-thin body SOI MOSFET for deep-sub-tenth micron era." Electron Devices Meeting, 1999. IEDM'99. Technical Digest. International. IEEE, 1999.
- Colinge, Jean Pierre. "Multi-gate SOI MOSFETs." Microelectronic Engineering, 2007; 84(9-10): 2071-2076.
- Choi, J-Y., and Jerry G. Fossum. "Analysis and control of floating-body bipolar effects in fully depleted submicrometer SOI MOSFET's." IEEE Transactions on Electron Devices, 1991; 38(6): 1384-1391.
- Deb, Sanjoy, et al. "Work function engineering with linearly graded binary metal alloy gate electrode for short-channel SOI MOSFET." IEEE Transactions on Nanotechnology, 2012; 11(3): 472-478.
- 13. Ernst, T., et al. "Fringing fields in sub-0.1 μm fully depleted SOI MOSFETs: optimization of the device architecture." Solid-State Electronics, 2002; 46(3): 373-378.
- 14. Hammad, M. Youssef, and Dieter K. Schroder. "Analytical modeling of the partiallydepleted SOI MOSFET." IEEE Transactions on Electron devices, 2001; 48(2): 252-258.
- Hashemi, P., et al. "2-D modeling of potential distribution and threshold voltage of short channel fully depleted dual material gate SOI MESFET." Solid-state electronics, 2005; 49(8): 1341-1346.
- Hisamoto, Digh, et al. "A fully depleted lean-channel transistor (DELTA)-a novel vertical ultra-thin SOI MOSFET." Electron Devices Meeting, 1989. IEDM'89. Technical Digest., International. IEEE, 1989.
- Jang, Sheng-Lyang, Bohr-Ran Huang, and Jiann-Jong Ju. "A unified analytical fully depleted and partially depleted SOI MOSFET model." IEEE Transactions on Electron Devices, 1999; 46(9): 1872-1876.
- Kang, Sung-Mo, and Yusuf Leblebici. CMOS digital integrated circuits. Tata McGraw-Hill Education, 2003.

- 19. Kumar, M. Jagadesh, and Anurag Chaudhry. "Two-dimensional analytical modeling of fully depleted DMG SOI MOSFET and evidence for diminished SCEs." IEEE Transactions on Electron Devices, 2004; 51(4): 569-574.
- 20. Kumar, M. Jagadesh, Sumeet Kumar Gupta, and Vivek Venkataraman. "Compact modeling of the effects of parasitic internal fringe capacitance on the threshold voltage of high-k gate-dielectric nanoscale SOI MOSFETs. "IEEE Transactions on Electron Devices, 2006; 53(4): 706-711.

## BIOGRAPHY



Monika Joshi completed her B.Tech degree in Electronics and Communication Engineering from Kumaon Engineering College Dwarahat ,Almora (Uttarakhand Technical university, Dehradun) in 2014 and persuading M.Tech scholar degree in VLSI Design from Faculty of Technology, Uttarakhand Technical University, Dehradun. Her current research interests include low power VLSI design, Nanoscale and CMOS devices.

Dr. Vishal Ramola is currently working as an Assistant Professor (H.O.D.) in VLSI Design Department of F.O.T., Uttarakhand Technical University, Dehradun. He completed his Ph.D. From Uttarakhand Technical University, Dehradun in 2015. He did his M.Tech in VLSI Design From UPTU in 2007 and B.Tech. in Electronics and telecommunication Engineering from Amrawati University in 1998. His current research interest includes Circuit Theory and VLSI Physical Design.