VIER

World Journal of Engineering Research and Technology



www.wjert.org

SJIF Impact Factor: 5.218



THE PERFORMANCE OF SURABAYA CONTAINERS TERMINAL IN SUPPORTING THE FLUENCY OF NATIONAL LOGISTIC TRANSPORTATION

Andi Hidayat Rizal* and Andi Kumalawati

Faculty of Science and Engineering, University of Nusa Cendana Kupang.

Article Received on 23/03/2019 Article Revised on 13/04/2019 Article Accepted on 03/05/2019

*Corresponding Author Andi Hidayat Rizal Faculty of Science and Engineering, University of Nusa Cendana Kupang.

ABSTRACT

As shown by the Blue Print of National Logistic System, our logistic system could be locally integrated and also be connected to global. All components had a synergy and created innovation and breakthrough to achieve the targets with immediate realization. Sea Transportation was

the leading transportation in Indonesia as the biggest island-nation of the world, and sea transport played important role in the national and international logistic chain. Tanjung Perak Sea Harbor was known as it had Surabaya Containers Terminal (SCT) which had been awarded as one of Top 50 World Containers Port based on the assessment from The Journal of Commerce in the 2015 August Edition. Being one important infrastructure, SCT must push its potential to the maximum by improving performance, modernizing equipment, and increasing human resource quality to support its standing as one of main sea harbors in Indonesia that was capable to help fluencing logistic transportation line. This paper was made to understand the existing condition of performance at Surabaya Containers Terminal and to compare this performance with the Performance Standard of Sea Harbor Operational Services of pursuant to the Decree the General Directorate of Sea Transport No.UM.002/38/18/DJPL.2011. The analysis was quantitative involving various standard formulas. Result of analysis indicated that some criteria of performance were met while the others were below the stnadard.

KEYWORDS: Performance, Containers Terminal, Transportation, National Logistic

INTRODUCTION

The vision of Indonesian Logistic in 2025, as stated in the Blue Print of National Logistic System, was to create the logistic system that could be integrated locally and connected to the global in order to improve national competitiveness and people welfare. Both local interation and global connection could be achieved through an efficient integration of elements in logistic chain, including distribution network, transportation network, information network, and financial network, which the fluency of all these elements was supported by the actor and provider of logistic service. To make this vision into a reality, all stakeholders must work in synergy with innovation and a necessary breakthrough to attain the target on predetermined time.

Being the biggest islands-nation in the world, Indonesia sea transportation played important role in domestic and international trades. The efficient sea transportation would support the establishment of just and balancing economic development across the regions (Adisasmita, 2011). In fact, domestic sea transportation caused a high level of price differential among the regions and also engendered more expensive movement of shipment across islands in the nation than its movement from and to abroad (UNCTAD, 2014).

Higher cost in sea transportation triggered a more expensive logistic price in some remote area, including the eastern part of Indonesia. Some factors caused this problem, and it was related witht the costs of filling, loading-unloading, hoarding, and transporting. It should be more efficient but 60 percents of shipping cost were the cost of clearances in the sea harbor (Business Economic News, 28 March 2014). According to Raul Pino et al (2013) and Christopher (2005), the standard of containers transportation structure implied a direct impact to transportation efficiency and should not cause high cost economy in the shipping pattern.

Logistic National Sector faced a heavy challenge in the era of ASEAN Economic Community (MEA) in 2015. The problem was that the logistic transportation cost in Indonesia was still very high as indicated by the ratio of national logistic cost to Gross Domestic Income (PDB) that reaching 23.6%. This ratio was indeed flying too far beyond other countries, such as United States with 8.50%, Europe with 10%, Japan with 10.60%, and South Korea with 16.30%. Other thing to worry about was the low standing of Logistic Performance Index (LPI) for Indonesia. It is supported by the finding of research and survey from Global Competitiveness Index done by World Economic Forum, that ranked Indonesia on the position of 53 among countries in the world. Even, this rank was below other ASEAN

countries, such as Singapore (5), Malaysia (25), and Thailand (53). LPI measurement by World Bank involved six factors, such as: administrative efficiency in the custom office; competitive shipping cost; better quality and competence of logistic service; good capacity in tracing and investigating the shipment; and favorable shipping time (Arvis et al, 2014).

Poor competitiveness of the infrastructure only worsened the stream of the distribution of shipment and logistic to support international trade activity (Utami, 2015). Lee (2001) explained that the increasing movement of shipment across the countries might show a positive correlation between the countries for years. Logistic was one of big expense for a business although the rate was varying with sector (Waters, 2003). Consequently, in the competitive environment, there was immediate need to control over logistic cost, and thus, it was important to measure the performance as a parameter to achieve the success indicator of the business.

Dealing with this condition and also suppressing sea harbor operational cost, the government initiated a system called Pendulum Nusantara, which was used as Indonesia International Gateway to create one integrated service covering six main sea harbors connecting east to west parts of Indonesia. The area coverage included Belawan, Batam, Jakarta, Surabaya, Makassar and Sorong, which all these area were arranged into one schedule of route with sub-systems following this route. It might help empowering sea transport and improving the existing domestic transport (President Decree No.26/2012). So far, sea harbor operator set different price and cost, and it was expected that this tariff would be similar. To achieve such goal, sea harbors must be redesigned to improve its feasibility and service.



Figure 1: Sea Harbor Service with Indonesia International Gateway.

Tanjung Perak Sea Harbor had Surabaya Containers Terminal (SCT) as the main sea harbor serving containers. Based on the release of The Journal of Commerce on 2015 August Edition, titled with JOC of Top 50 World Containers Port, SCT of Tanjung Perak was given a rank of 48, and it decreased from its previous rank of 46. This fact indicated that the perforamnce of Surabaya Containers Terminal failed to compare with the achievement of other international sea harbors. The realization of containers flow in Surabaya Containers Terminal must achieve 3,127,895 TEUS or equaled to 2,623,090 Box. In 2013, the Terminal attained 2,993,932 TEUS or 2,517,017 Box. (PT. Pelindo III, 2014).

METHODOLOGY

Data about Surabaya Containers Terminal were collected. A measurement survey was conducted on this containers terminal. Data were then subjected to quantitative analysis, and the result was discussed.

Early step involved data exposition. The analysis was performed on the performance of containers terminal to assess performance on the observation period, precisely on February 2015, and then to compare the result with with the Performance Standard of Sea Harbor Operational Services pursuant to the Decree of the General Directorate of Sea Transport No.UM.002/38/18/DJPL.2011. The performance of containers terminal was understood through the criteria of assessment or evaluation based on governmental regulation that might provide strong base for the initiative to improve performance. The criteria were described as following.

Ship Service

Berthing Time (BT)

It was a time when the ship was set at berth. It was counted from since the ship set the rope at berth until the rope was released. (Adisasmita, 2011).

Where :

BT : Berthing Time (hour).

BWT : Berthing Working Time; The planned time for berthing for load-unload activity (hour).

NOT : Not Operating Time; The planned time for no-activity (hour).

Berth Working Time (BWT)

It was a time when the ship was scheduled to berth and to do load-unload activity.

(Adisasmita, 2011). BWT = ET + IT(2) Where: ET = effective time IT = idle time

Containers Service

Ton per Ship Hour in Port (TSHP)

It was the speed of load-unload activity at the sea harbor, or the amount of works needed for load-unload activity per ship per hour. All labors or equipments engaged for this activity were counted as the output of the ship. (Supriyono, 2010).

$$TSHP = \frac{\sum (Load - Unload Activity per Ship)}{TRT _ per ship} \qquad \dots \dots (3)$$

Ton per Ship Hour in Berth (TSHB)

It was the speed of load-unload activity at the berth, or the average number of load-unload activity per ship per hour during berthing. (Supriyono, 2010).

$$TSHB = \frac{\sum (Load - Unload Activity per Ship)}{BT_{-} per ship} \qquad \dots \dots \dots (4)$$

Berth Service

Berth Throughput (BTP)

It was the ability of shipment to flow at berth, or the number of TEUS/m shipment that could pass every meter of available length of the berth. (Supriyono, 2010).

$$BTP = \frac{\sum(Shipment / TEUS in one period)}{Available \ Length \ of \ the \ Berth} \tag{5}$$

Berthing Occupancy Ratio (BOR)

It was the usage rate of the berth, and it was counted by comparing the length of the ship and the length of berth at the time when the berth was used in one period. The measuring unit was percentage. (Supriyono, 2010).

$$BOR = \frac{\sum (Ship \ Length + 5) x \ Berthing \ Time}{Berth \ Length \ x \ Available \ Time}$$
(6)

Container Yard Occupancy Ratio (CYOR)

It was how many container yard to use for hoarding containers. It was estimated by comparing the number of containers at certain time period and the capacity of container yard on this period. The measuring unit was percentage. (Supriyono, 2010).

 $CYOR = \frac{TEUs \, x \, day}{CY \, Capacity \, x \, day \, in \, a \, momth/ \, year} \quad \dots \qquad (7)$

The Performance Standard of Sea Harbor Operational Services

Sea Harbor Authority was the manager of sea harbor. It administered some functions and roles, and was required to maintain the fluency and orderliness of the delivery of service for ship, shipment and passenger. The governemnt, through the General Directorate of Sea Liaison in the Department of Liaison, had made the performance standard of sea harbor operational services that must be obeyed by each sea harbor operator in Indonesia. This performance standard was set into the Decree No: UM.002/38/18/DJPL.2011. The indicator of this performance covered some items, such as:

- (a) Waiting time (WT)
- (b) Guiding service time (approach time/ AT)
- (c) Effective time (ET)
- (d) Work productivity (B/C/H)
- (e) Receiving or delivery of containers
- (f) Berth occupancy ratio (BOR)
- (g) Shed occupancy ratio (SOR) and
- (h) Yard occupancy ratio (YOR).

Surabaya Containers Terminal was one sea harbor that served containers transportation for export, import and domestic shipping. All these works had a certain limit in consistent with the operational guidance in the following table.

Table 1:

| The | e Operational Performance S | tandard of Surah | aya C | ontainers | Terminal | | | | |
|-----|------------------------------|------------------|---------|-----------|----------|--|--|--|--|
| | Pursuant to The Decree of | General Director | rate of | Sea Trans | port | | | | |
| | No. UM.0 | 02/38/18/DJPL.2 | 011 | | 1.4 | | | | |
| No | Indicators | Limit Rate | | | | | | | |
| 1 | Waiting Time | WT | 2 | 2.00 | hour | | | | |
| 2 | Approach Time | AT | 10 | 4.00 | hour | | | | |
| 3 | Effective Time/Berthing Time | ET / BT | 8 | 70.00 | % | | | | |
| 4 | Load-Unload Performance | (Box/CC/H) | 10 | 25.00 | box/hour | | | | |
| 5 | Berth Occupation Ratio | BOR | 2 | 70.00 | % | | | | |
| 6 | Yard Occupation Ratio | YOR | | 70.00 | % | | | | |
| 5 | | | | | | | | | |

Source: General Directorate of Sea Transport, 2011

RESULT AND DISCUSSION

Ship Visit (Ship Call)

When the government made relevant policies over logistic issues as stated in the Blue Print of National Logistic System, economical growth started increasing and it was indicated by the visit of the containers ships to various sea harbors in Indonesia. In 2014, Surabaya Containers Terminal was visited by many containers ships from abroad. Data of ship visit (ship call) was shown in the following.



Figure 2: Ship Call to Surabaya Containers Terminal.

Containers Flow

Logistic transprotation flow to Indonesia was increasing. Tanjung Perak Sea Harbor was the second biggest sea harbor after Tanjung Priok in jakarta. The number of containers for export

(loading), import (discharge), and domestic shipping that was handled in Surabaya Containers Terminal was displayed in the following figures.



Figure 3: Containers Flow in Surabaya Containers Terminal.

The performance of containers terminal was assessed on the existing condition of data collection, precisely on February 2015. Result of descriptive analysis was compared with the governmental regulation, in this case represented by the Decree of General Directorate of Sea Transport No.UM.002/38/18/DJPL.2011 about The Performance Standard of Sea Harbor Operational Service. The data of relevanat facilities and containers flow in Surabaya Containers Terminal were shown in the following tables:

Table 2:

| _ | Data of | r a cintres at 5 | urabaya con | tam | ci și refinit | lai | | | | | |
|-----|--|------------------|-------------|-----|-----------------|----------------|--|--|--|--|--|
| No | Na | me of Facilities | Dimension | | | | | | | | |
| 100 | - | 1 | | 35 | 4 000 00 | | | | | | |
| 1 | Internation | al Berth | Length | 10 | 1,000.00 | m | | | | | |
| _ | | | Width | | 50.00 | m | | | | | |
| - | | | Depth | 1 | 10.50 | m | | | | | |
| 2 | Domestic I | Berth | Length | 2 | 450.00 | m | | | | | |
| | | | Width | 12 | 50.00 | m | | | | | |
| | | | Depth | | 7.50 | m | | | | | |
| 52 | Sani Na | 845 550 | | | Strategies 1971 | 2 | | | | | |
| 3 | Containers | Yard | Area | | 290,000.00 | m | | | | | |
| | | | Capacity | 1 | 34,000.00 | TEUs | | | | | |
| | | | Import | | 14,445.00 | TEUs | | | | | |
| | | | Export | 1 | 9,179.00 | TEUs | | | | | |
| | | | Domestic | | 2,974.00 | TEUs | | | | | |
| | | | Shipping | | | | | | | | |
| 4 | Container Freight | | Area | 2 | 10,000.00 | m ² | | | | | |
| | Station (CI | FS) | Dangerous | | | | | | | | |
| | | | Shipment | | 6,500.00 | m ² | | | | | |
| 5 | Equipment | s | | | | | | | | | |
| | Container Crane | | | | 12 | units | | | | | |
| | Rubber Ty | red Gantry | | | 33 | units | | | | | |
| | Reach Sta | ckers | | | 6 | units | | | | | |
| | Side Loade | er | | | 1 | units | | | | | |
| | Sky Stacke | er | | | 3 | units | | | | | |
| | Forklift Diesel Forklift Electric Head Truck | | | | 6 | units | | | | | |
| | | | | | 12 | units | | | | | |
| | | | | | 80 | units | | | | | |
| | Chasis | | | | 124 | units | | | | | |
| | Low Bed | Chasis | | | 3 | units | | | | | |
| | Cassette | | | | 90 | units | | | | | |
| | Translifter | | | | 7 | units | | | | | |
| | | | | | | | | | | | |

Table 3:

| International Containers Flow | | | | | | | | | | | | | | | | |
|-------------------------------|-------------------|---------|--------------|-------|------------------|-------|-------------|------------|-----------|--------|--------------------------|--------|-------------|-------|-------------|--------------------|
| NO | NAME OF SHIP | LOA (m) | SHIP ARRIVAL | | EARLY TREAT | | UNLOAD RATE | | LOAD RATE | | TOTAL OF LOAD- UNLOAD | | FINAL TREAT | | SHIP DEPART | |
| | | | DATE | TIME | DATE | TIME | BOXES | TEUS | BOXES | TEUS | BOXES | TEUS | DATE | TIME | DATE | TIME |
| 01 | WAN HAI 281 | 183 | 30 Jan | 18.20 | 30 Jan | 20.31 | 332 | 489 | 376 | 564 | 708 | 1,053 | 31 Jan | 22.18 | 01 Feb | 0.10 |
| 02 | PELICAN | 180 | 31 Jan | 20.50 | 31 Jan | 11.25 | 403 | 302 627 | 48/ | 030 | /30 | 1 503 | 01 Feb | 10.57 | 02 Feb | 0.55 |
| 04 | NOBLE MATAR | 229 | 01 Feb | 1.15 | 01 Feb | 2.05 | 403 | 774 | 373 | 530 | 851 | 1,304 | 02 Feb | 3.01 | 02 Feb | 4.20 |
| 05 | ΟΤΤΟ | 179 | 31 Jan | 19.55 | 31 Jan | 21.21 | 629 | 887 | 731 | 907 | 1.360 | 1.794 | 02 Feb | 4.20 | 02 Feb | 6.30 |
| 06 | UNI POPULAR | 182 | 02 Feb | 5.30 | 02 Feb | 6.05 | 428 | 727 | 271 | 438 | 699 | 1,165 | 03 Feb | 4.40 | 03 Feb | 6.05 |
| 07 | EVER PEARL | 182 | 02 Feb | 8.50 | 02 Feb | 10.00 | 91 | 160 | 319 | 444 | 410 | 604 | 03 Feb | 3.18 | 03 Feb | 6.20 |
| 08 | MEDCORAL | 181 | 02 Feb | 6.45 | 02 Feb | 7.01 | 538 | 717 | 352 | 496 | 890 | 1,213 | 03 Feb | 7.49 | 03 Feb | 8.20 |
| 09 | STADT ROSTOCK | 222 | 01 Feb | 20.15 | 01 Feb | 21.01 | 562 | 781 | 915 | 1,246 | 1,477 | 2,027 | 03 Feb | 8.50 | 03 Feb | 12.45 |
| 10 | UNI AHEAD | 165 | 03 Feb | 9.05 | 03 Feb | 9.39 | 420 | 649 | 288 | 458 | 708 | 1,107 | 04 Feb | 4.45 | 04 Feb | 6.25 |
| 11 | FESCO TRADER | 147 | 03 Feb | 13.30 | 03 Feb | 14.22 | 460 | 566 | 511 | 613 | 971 | 1,179 | 04 Feb | 17.01 | 04 Feb | 18.10 |
| 12 | WESERWOLF | 211 | 04 Feb | 11.20 | 04 Feb | 12.27 | 68/ | 904 | /91 | 1,081 | 1,4/8 | 2,045 | 05 Feb | 0.45 | 05 Feb | 7.20 |
| 13 | WARNOW CHIEF | 105 | 04 Feb | 9.55 | 04 Feb | 10.37 | 420 | 816 | 402 | 572 | 077 | 1 388 | 05 Feb | 0.02 | 05 Feb | 11.00 |
| 15 | HANSA FRESENBURG | 176 | 04 Feb | 19.20 | 04 Feb | 20.21 | 579 | 805 | 447 | 668 | 1.026 | 1,500 | 06 Feb | 0.30 | 06 Feb | 0.45 |
| 16 | JAN RITSCHER | 209 | 05 Feb | 12.10 | 05 Feb | 12.57 | 300 | 453 | 70 | 102 | 370 | 555 | 06 Feb | 3.32 | 06 Feb | 5.40 |
| 17 | RACHA BHUM | 211 | 05 Feb | 9.45 | 05 Feb | 10.26 | 326 | 459 | 303 | 417 | 629 | 876 | 06 Feb | 4.14 | 06 Feb | 6.55 |
| 18 | PRINCESS OF LUCK | 183 | 06 Feb | 11.30 | 06 Feb | 13.55 | 313 | 460 | 311 | 444 | 624 | 904 | 07 Feb | 11.13 | 07 Feb | 12.30 |
| 19 | SANYA | 183 | 06 Feb | 17.45 | 06 Feb | 21.23 | 794 | 1,063 | 632 | 957 | 1,426 | 2,020 | 07 Feb | 19.26 | 07 Feb | 20.15 |
| 20 | KAMALA | 200 | 06 Feb | 22.35 | 06 Feb | 23.31 | 415 | 566 | 531 | 744 | 946 | 1,310 | 08 Feb | 0.38 | 08 Feb | 1.45 |
| 21 | PELICAN | 172 | 07 Feb | 3.40 | 07 Feb | 4.08 | 405 | 654 | 573 | 776 | 978 | 1,430 | 08 Feb | 1.03 | 08 Feb | 2.15 |
| 22 | HS MASTER | 188 | 07 Feb | 14.00 | 07 Feb | 15.24 | 594 | 798 | 317 | 459 | 911 | 1,257 | 08 Feb | 10.27 | 08 Feb | 14.10 |
| 23 | BOX VOYAGER | 230 | 07 Feb | 22.45 | 08 Feb | 0.15 | 493 | 772 | 405 | 538 | 898 | 1,310 | US Feb | 20.08 | 08 Feb | 21.15 |
| 24 | MATPSE UPONC | 200 | 08 Feb | 17.50 | 08 Feb | 19.07 | 510 | 205 | 270 | 434 | 1 4 4 9 | 1,199 | 09 Feb | 14.55 | 09 Feb | 10.00 |
| 26 | HANJIN DALIAN | 200 | 09 Feb | 7.50 | 09 Feb | 9.01 | 195 | 290 | 203 | 445 | 488 | 735 | 09 Feb | 21 24 | 09 Feb | 22.45 |
| 27 | COUGAR | 186 | 09 Feb | 11.55 | 09 Feb | 14.34 | 636 | 847 | 379 | 515 | 1,015 | 1,362 | 10 Feb | 10.37 | 10 Feb | 12.05 |
| 28 | ITHA BHUM | 171 | 09 Feb | 20.40 | 09 Feb | 21.34 | 426 | 514 | 376 | 497 | 802 | 1,011 | 10 Feb | 13.23 | 10 Feb | 14.20 |
| 29 | FESCO TRADER | 147 | 09 Feb | 23.45 | 10 Feb | 0.51 | 443 | 569 | 580 | 672 | 1,023 | 1,241 | 10 Feb | 21.00 | 10 Feb | 21.50 |
| 30 | HANSA FRESENBURG | 176 | 11 Feb | 1.45 | 11 Feb | 2.34 | 673 | 982 | 590 | 845 | 1,263 | 1,827 | 12 Feb | 4.41 | 12 Feb | <mark>6.0</mark> 0 |
| 31 | WARNOW CHIEF | 181 | 11 Feb | 8.20 | 11 Feb | 9.01 | 583 | 816 | 597 | 866 | 1,180 | 1,682 | 12 Feb | 8.36 | 12 Feb | 10.05 |
| 32 | KMTC PORT KELANG | 187 | 13 Feb | 1.35 | 13 Feb | 2.52 | 436 | 617 | 551 | 779 | 987 | 1,396 | 14 Feb | 12.20 | 14 Feb | 13.15 |
| 33 | MEDCORAL | 181 | 13 Feb | 15.45 | 13 Feb | 17.00 | 411 | 558 | 307 | 412 | 718 | 970 | 14 Feb | 16.15 | 14 Feb | 17.12 |
| 34 | PELICAN | 172 | 13 Feb | 18.30 | 13 Feb | 19.33 | 390 | 591 | 559 | 775 | 949 | 1,366 | 14 Feb | 23.02 | 14 Feb | 23.59 |
| 30 | SANTA PELINA | 188 | 13 reb | 11.55 | 15 Feb | 10.25 | 033 | 914 | 4// | 702 | 1,110 | 1,010 | 15 Feb | 19 50 | 15 Feb | 1.29 |
| 37 | SANVA | 183 | 15 Feb | 3.15 | 15 Feb | 4.01 | 858 | 1 185 | 684 | 1 044 | 1 542 | 2 220 | 16 Feb | 13.58 | 16 Feb | 14.35 |
| 38 | EVER PEARL | 182 | 16 Feb | 1.45 | 16 Feb | 3.04 | 359 | 573 | 316 | 504 | 675 | 1.077 | 16 Feb | 20.52 | 16 Feb | 22.00 |
| 39 | CHILOE ISLAND | 222 | 15 Feb | 5.03 | 15 Feb | 6.16 | 727 | 1,017 | 965 | 1,294 | 1,692 | 2,311 | 16 Feb | 23.37 | 17 Feb | 1.25 |
| 40 | FESCO TRADER | 147 | 16 Feb | 11.50 | 16 Feb | 12.30 | 463 | 555 | 583 | 687 | 1,046 | 1,242 | 17 Feb | 12.00 | 17 Feb | 13.00 |
| 41 | LARENTIA | 216 | 16 Feb | 16.45 | 16 Feb | 20.20 | 286 | 393 | 550 | 781 | 836 | 1,174 | 17 Feb | 23.35 | 18 Feb | 0.35 |
| 42 | ARUNA IPSA | 197 | 17 Feb | 1.05 | 17 Feb | 2.02 | 331 | 507 | 421 | 572 | 752 | 1,079 | 18 Feb | 3.35 | 18 Feb | 5.35 |
| 43 | HANJIN CHITTAGONG | 200 | 17 Feb | 7.00 | 17 Feb | 8.35 | 161 | 248 | 342 | 523 | 503 | 771 | 18 Feb | 7.10 | 18 Feb | 9.15 |
| 44 | SEOUL TRADER | 210 | 18 Feb | 11.25 | 18 Feb | 12.24 | 377 | 551 | 214 | 323 | 591 | 874 | 19 Feb | 6.40 | 19 Feb | 7.40 |
| 45 | HANSA FRESENBURG | 176 | 18 Feb | 1.45 | 18 Feb | 2.28 | 644 | 793 | 534 | 736 | 1,178 | 1,529 | 19 Feb | 8.10 | 19 Feb | 10.55 |
| 40 | WAKNOW CHIEF | 181 | 10 Feb | 8.20 | 18 Feb | 9.00 | 580 | 844 | 207 | 830 | 1,177 | 1,080 | 19 reb | 10.45 | 19 Feb | 12.10 |
| 47 | CAPE MORETON | 105 | 10 Feb | 18.00 | 10 Feb | 19.10 | 4/9 | 360 | 297 | 510 | 770 | 1,102 | 20 Feb | 10.50 | 20 Feb | 12.30 |
| 49 | ITHA BHUM | 171 | 19 Feb | 11.15 | 19 Feb | 11.45 | 473 | 628 | 295 | 477 | 768 | 1,105 | 20 Feb | 10.04 | 20 Feb | 11.00 |
| 50 | KMTC SHANGHAI | 187 | 19 Feb | 15.45 | 19 Feb | 21.30 | 440 | 555 | 551 | 782 | 991 | 1,337 | 21 Feb | 3.45 | 21 Feb | 6.20 |
| 51 | COUGAR | 186 | 20 Feb | 13.50 | 20 Feb | 14.28 | 355 | 509 | 308 | 443 | 663 | 952 | 21 Feb | 5.50 | 21 Feb | 8.30 |
| 52 | HS MASTER | 188 | 20 Feb | 13.35 | 20 Feb | 14.23 | 547 | 722 | 493 | 646 | 1,040 | 1,368 | 21 Feb | 19.51 | 21 Feb | 21.10 |
| 53 | WAN HAI 281 | 183 | 20 Feb | 22.25 | 21 Feb | 0.28 | 364 | 496 | 272 | 413 | 636 | 909 | 21 Feb | 19.44 | 21 Feb | 21.45 |
| 54 | HS ONORE | 213 | 21 Feb | 10.20 | 21 Feb | 11.07 | 526 | 663 | 21 | 32 | 547 | 695 | 22 Feb | 3.38 | 22 Feb | 4.40 |
| 55 | PELICAN | 172 | 21 Feb | 8.15 | 21 Feb | 9.02 | 436 | 696 | 532 | 730 | 968 | 1,426 | 22 Feb | 12.18 | 22 Feb | 14.10 |
| 56 | HS WAGNER | 231 | 21 Feb | 23.30 | 22 Feb | 1.00 | 553 | 834 | 419 | 593 | 972 | 1,427 | 23 Feb | 2.25 | 23 Feb | 3.15 |
| 57 | HERMANN WULFF | 211 | 21 Feb | 23.50 | 22 Feb | 1.01 | 767 | 1,035 | 885 | 1,170 | 1,652 | 2,205 | 23 Feb | 13.35 | 23 Feb | 14.20 |
| 58 | MEDCORAL | 200 | 22 feb | 18.20 | 22 Feb 23 Eab | 19.01 | 458 | 052 | 410 | 609 | 868 | 1,261 | 23 Feb | 14.58 | 23 feb | 10.35 |
| 60 | SANVA | 183 | 23 Feb | 17.40 | 22 Feb | 18 27 | 708 | 1 095 | 672 | 982 | 1 470 | 2 077 | 24 Feb | 0.55 | 24 Feb | 2 00 |
| 61 | UNIPOPULAR | 182 | 23 Feb | 15.10 | 23 Feb | 17.04 | 86 | 1,020 | 255 | 373 | 341 | 500 | 24 Feb | 3.23 | 24 Feb | 5.05 |
| 62 | FESCO TRADER | 147 | 23 Feb | 18.00 | 23 Feb | 19.00 | 391 | 453 | 434 | 537 | 825 | 990 | 24 Feb | 9.57 | 24 Feb | 11.00 |
| 63 | UNI AHEAD | 165 | 24 Feb | 18.00 | 24 Feb | 18.54 | 461 | 670 | 177 | 252 | 638 | 922 | 25 Feb | 10.00 | 25 Feb | 11.10 |
| 64 | JAKARTA TOWER | 212 | 25 Feb | 0.40 | 25 Feb | 1.39 | 341 | 542 | 189 | 282 | 530 | 824 | 25 Feb | 18.25 | 25 Feb | 18.50 |
| 65 | HANSA FRESENBURG | 176 | 24 Feb | 23.10 | 25 Feb | 0.41 | 703 | 959 | 671 | 924 | 1,374 | 1,883 | 26 Feb | 5.26 | 26 Feb | 6.35 |
| 66 | WARNOW CHIEF | 181 | 25 Feb | 8.40 | 25 Feb | 9.21 | 530 | 784 | 745 | 1,006 | 1,275 | 1,790 | 26 Feb | 12.54 | 26 Feb | 14.20 |
| 67 | RACHA BHUM | 211 | 26 Feb | 9.20 | 26 Feb | 10.08 | 320 | 464 | 560 | 746 | 880 | 1,210 | 27 Feb | 8.00 | 27 Feb | 9.00 |
| 68 | KAMALA | 200 | 26 Feb | 21.05 | 26 Feb | 22.06 | 291 | 366 | 515 | 765 | 806 | 1,131 | 28 Feb | 1.45 | 28 Feb | 2.50 |
| 69 | BUSAN TRADER | 210 | 28 Feb | 3.40 | 28 Feb | 5.18 | 457 | 498 | 69 | 100 | 526 | 598 | 28 Feb | 15.38 | 28 Feb | 16.15 |
| 70 | NS MASIEK | 188 | 27 Feb | 11.45 | 27 Feb | 13.13 | 544 | 737 | 611 | 860 | 1,155 | 1,597 | 28 Feb | 20.15 | 28 feb | 21.53 |
| /1 | TERCAN | 1/2 | =/ reo | 18.55 | 27 feu | 20.05 | 504 | /09 | 131 | 1,000 | 1,241 | 1,/09 | 20 reo | 20.50 | To Len | 23.30 |
| | CRAND TO TAL | 12 422 | c 2) | | <u> </u> | 1 | 22.025 | 16 200 | 22 749 | 15 692 | 65 673 | 01 072 | v | | | <u> </u> |

Source: Result of Survey by TPS, 2015

Based on data exposition above, some criteria of harbor performance then could be analyzed with previous formulas.

Effective Time (ET)

It was a time used to conduct load-unload activity at the berth. ET in the data was 24.31 hours. This component was quite influential to the performance of berthing time although it was not determined as the standard criteria.

Not Operation Time (NOT)

It was a time when the ship did not do activity at the berth. Such time could be resting time and time to wait for laborers. NOT in the data was 2.13 hours. Similar to ET, this component was not performance standard but it was influential to other component.

Idle Time (IT)

It was unused working time during load-unload activity at the berth. IT in the data was 0.63 hours. Usually, IT at the sea harbor with complete and adequate facilities, supported with feasible workers, could be minimum, meaning that wasting time was reduced.

Berthing Working Time (BWT).

It was a time when the ship was scheduled to berth and do the load-unload activity. BWT comprised of ET+IT and BWT in the data was 24.94 hours. The presence of BWT might influence the performance of berthing time (BT). At minimum, BWT might influence the productivity of load-unload activity at the berth.

Berthing Time (BT)

It was a time used by the ship at the berth. The component of BT involved BWT + NOT. BT in the data was 27.07 hours. The standard for component was not available, but it could still influence the productivity of containers load-unload activity at the berth. The lower BT was the greater productivity of load-unload activity.

Ratio of Effective Time to Berthing Time (ET: BT)

It was a comparison between effective time of load-unload activity and time when the ship was berthing. The measuring unit was percentage (%). Based on the data, the ratio was 89%. It was adequate in relation with the performance standard of sea harbor operational,

minimally to 70%. Positive result was achieved from the effective time of load-unload activity in order to produce optimum utilization at optimum berthing time.

Turnaround Time (TRT)

It was a time when the ship remained at the sea harbor from since the ship arrived at the location until its departure. TRT in the data was 26.42 hours. The standard for this component was not made, but it was always influential to the productivity of load-unload activity of containers in the sea harbor. Lower TRT would be greater productivity of load-unload activity.

Ton per Ship Hour in Port (TSHP)

As revealed by the data, the speed of load-unload activity in the sea harbor, or the number of works to do load-unload activity per ship per hour was counted for 24.36 boxes/hour. The criteria of sea harbor performance were published by UNCTAD, and pursuant to international sea harbor standard, this number was equaled to 25 boxes/hour, and this number was adequate.

Ton per Ship Hour in Berth (TSHB)

The speed of load-unload activity at the berth, or the average number of load-unload activity per ship per hour at the berth was obtained for 23.77 boxes/hour. As shown by the performance standard of sea harbor operational, the speed of load-unload activity at the berth was 25 boxes/hour, and this was below the minimum standard.

Berth Throughput (BTP)

It was the capacity of shipment flow at the berth. It was shown by TEUS/m that could be passed the shipment in every available meter length at the berth. Data showed that this capacity was 3.70 TEUS/meter.

Berthing Occupancy Ratio (BOR)

The usage level of the berth was known by comparing between ship length and berth length during the usage at certain period. The obtained level was 55%. If compared with the maximum performance standard of sea harbor operational that set as 70%, the current level was in good category.

Container Yard Occupancy Ratio (CYOR)

The usage level of container yard was estimated by comparing between number of containers and the capacity of container yard at certain period. This estimation was counted for 80%. If compared with the maximum performance standard of sea harbor operational that set as 70%, the current level must be definitely in poor category because it was above the maximum standard.

CONCLUSION

From the overview above, the conclusion could be made as following:

- Ratio of Effective Time (ET) to Berthing Time (BT) was 89%, and it was considered as adequate. It was higher than the minimum standard of 70%, meaning that time effective time and berthing time were optimum.
- The speed of load-unload activity at the berth (Ton Ship Hour in Berth / THSB) was 23.77 boxes/hour, and it was below the minimum standard of 25 boxes/hour. It improved the performance of the berth side.
- The usage level of the berth (Berthing Occupancy Ratio / BOR) was 55%. It was in good in relation with the maximum standard of 70%. This Berthing Occupancy Ratio at the existing condition must be maintained and be useful as reference.
- The usage level of container yard (Container Yard Occupancy Ratio / CYOR) was 80% and remained below the maximum standard of 70%. Thus, it needed improving performance in yard usage.

REFERENCES

- Adisasmita, S. Adji, Transportation Development Planning, Graha Ilmu, Yogyakarta, 2011.
- Anonymus Port Operational Service Performance Standard, Sea Transportation Bureau, Jakarta, 2011.
- 3. Anonymus Presidential Decree No. 26 Yeaf of Logistic National System, 2012.
- 4. Anonymus (2012) Presidential Decree No. 32 Year of Master Plan for the Acceleration and Expansion of Indonesian Economic Development (MP3EI), 2012.
- Arvis, J.-F. (The World Bank), Busch. C. (The W.B.,) Ojala, L. (Turku School of Economics), Shepherd, B. (The W. B.), Saslavsky, D. (The W. B.). Connecting to Compete - Trade Logistics in the Global Economy. Washington, D.C., 2014.

- Christopher, M., Logistics and Supply Chain Management Strategies for Reducing Cost and Improving Service (3rd ed.). Financial Times/ Prentice Hall, 2005.
- Lee S. Improving Efficiency in the Logistic Sector for Sustainable Transport Development in the Republic of Korea, Transport Communication Bulletin for Asia Pacific No. 70 New York: UN, 2001.
- 8. Indonesian Seaport III, PT. "Company Profile", Surabaya Containers Terminal, 2014.
- Raúl Pino, Gómez, A., Parreño, J., De La Fuente, and Paolo Priore. Application of Genetic Algorithms to Container Loading Optimization. International Journal of Trade, Economics and Finance, 2013; 4(5): 304-309.
- 10. Supriyono. Analysis of Container Terminal Performance at Tanjung Perak Port, Surabaya. Thesis of Magister Eng. Diponegoro University-Semarang, 2010.
- Triatmojo, Bambang. Service Capacity Analysis of Semarang Container Terminal. Prociding of BMPTTSSI 1-Konteks 5 USU Medan, 2011.
- UNCTAD Small Island Developing States: Challenges in Transport and Trade Logistics Multi-Year Expert Meeting on Transport, Trade Logistics and Trade Facilitation; Third Session, Geneva, 2014.
- Utami, W.S. Acceleration of Dwelling Time: Strategy for Increasing International Trade Performance at Tanjung Priok Port. Economics Development Analysis Journal (EDAJ), 2015; 4: 105-114.
- Waters, D. Logistics: An Introduction to Supply Chain Management. Supply Chain Management An International Journal, 2003; 364.